

From: Jeff.Keiser@CH2M.com
To: [Saric](#)
[James;BUCHOLTZP@michigan.gov;Frank.Dillon@CH2M.com;; <Patricia.White@CH2M.com>](#)
CC: mclark-59@comcast.net
LavelleJM@cdmsmith.com
KingTW@cdmsmith.com
Date: 4/23/2013 10:10:47 AM
Subject: RE: Revised RAO 1

No further comments. Looks good.

JK

Jeff Keiser
Project Manager
135 S. 84th Street, Suite 400
Milwaukee, WI 53214
Direct – 414 847-0382
e-Fax – 414 454-8766
Mobile 414 467-4893
www.jkeiser@ch2m.com
Solutions without Boundaries

From: Saric, James [mailto:saric.james@epa.gov]
Sent: Tuesday, April 23, 2013 11:00 AM
To: Bucholtz, Paul (DEQ); Keiser, Jeff/MKE; Dillon, Frank/DET; White, Patricia/BOS
Cc: Milt Clark (mclark-59@comcast.net); Lavelle, James (LavelleJM@cdmsmith.com); King, Todd W. (KingTW@cdmsmith.com)
Subject: Revised RAO 1

Here's a revision to RAO 1 based upon our discussion today. Let me know if you have any comments/changes, etc. If we are good with this I will forward it to GP.

Thanks again, as today's discussion was helpful.

Jim